Prepared By: Anne Stehno Utah Fleet Operations 801-619-7242

annestehno@utah.gov

Prepared For: CLASS 0214 LB

2012 Ford F-150 2WD SuperCab 163"



2012 Ford F-150 2WD SuperCab 163" XL (X1C)


CLASS 0214 LB

TRUCK 1/2 TON EXTENDED CAB 4X2 LB

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Vehicle Report: Table of Contents

•	
VEHICLE INFORMATION	
Selected Model	1
Selected Vehicle Colors	1
Selected Options	1
Aftermarket Options	1
STANDARD EQUIPMENT	
Mechanical	2
Exterior	2
Entertainment	2
Interior	2
Safety	3
TECHNICAL SPECIFICATIONS	
Chassis	4
Vehicle	6
Powertrain	6
Dimensions	8
WARRANTY INFORMATION	
Warranty Information	9



Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Vehicle Information

SELECTED MODEL

Code Description

X1C 2012 Ford F-150 2WD SuperCab 163" XL

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
	STANDARD EMISSIONS
99F	5.0L V8 FFV ENGINE, (STD)
446	6-SPEED ELECTRONIC AUTOMATIC TRANSMISSION W/OD & TOW/HAUL MODE, (STD)
XL6	3.73 AXLE RATIO W/ELECTRONIC LOCKING DIFFERENTIAL, (REQ: 99F Engine)
502A	XL SERIES ORDER CODE
T7B	P235/75R17 ALL-TERRAIN BSW TIRES, (STD)
	MONOTONE PAINT
YZ	OXFORD WHITE
CS	STEEL GRAY, CLOTH 40/20/40 SPLIT BENCH FRONT SEAT, -inc: manual driver lumbar
86D	XL DECOR GROUP, -inc: chrome front/rear bumpers, cloth 40/20/40 front seat w/manual driver lumbar
61X	XL PLUS PKG, -inc: AM/FM stereo w/CD player, clock, aux audio input jack, speed compensated volume control, customer information display, cruise control, MyKey system w/top speed limiter, audio volume limiter, early low fuel warning, programmable sound chimes, Beltminder w/audio mute
85A	PWR EQUIPMENT GROUP, -inc: pwr locks w/autolock, keyless entry key fob, pwr windows, illuminated entry, black pwr mirrors, perimeter alarm
	XL WORK PKG DISCOUNT, (REQ: 85A Pwr Equipment Group, 86D XL Decor Group & 61X XL Plus Pkg), *DISCOUNT*
535	TRAILER TOW PKG, -inc: class IV trailer hitch receiver, 7-pin wiring harness, upgraded radiator, aux trans oil cooler, SelectShift trans, *Required for towing over 5000 lbs*
67T	TRAILER BRAKE CONTROLLER, (REQ: 535 Trailer Tow Pkg) (w/86D XL Decor Group REQ: 595 Fog Lamps)
595	FOG LAMPS, (REQ: 86D XL Decor Group)
153	FRONT LICENSE PLATE BRACKET, *Std in states where required by law*
585	AM/FM STEREO W/CD PLAYER, -inc: clock, speed compensated volume control, aux audio input jack, *Requires valid FIN code* (LPO)
52N	CRUISE CONTROL, *Requires valid FIN code* (LPO)
942	DAYTIME RUNNING LIGHTS, *Requires valid FIN code* (LPO)

AFTERMARKET OPTIONS

Ford-MatExtF150

Floormats, Truck, Extended Cab, F150. Option code: AMO.

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.



Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Standard Equipment

MECHANICAL

5.0L V8 FFV engine

6-speed electronic automatic transmission w/OD & tow/haul mode

3.31 axle ratio (REQ: 99F Engine)

Rear wheel drive

78-amp/hr (750CCA) maintenance-free battery

Trailer sway control

8.0' pickup box

(4) pickup box tie-down hooks

7300# GVWR, 1930# maximum payload

Long-spindle double wishbone front suspension w/coil-over-shock IFS

Leaf spring rear suspension w/2-stage variable rear springs

Gas shock absorbers

Pwr rack & pinion steering

Pwr front/rear disc brakes

Easy Fuel capless fuel filler system

2-ton jack

EXTERIOR

P235/75R17 all-terrain BSW tires

17" gray styled steel wheels

Full-size spare tire w/lock, under frame winch-type carrier, safety catch

Painted argent front bumper w/black lower valance & upper fascia

Argent front/rear step bumper

Black front/rear stone cuffs

Black grille surround w/black "bar style" insert

Cargo lamp integrated w/high mount stop light

Black manual side mirrors

Fixed rear window

Rear solar tint glass

Interval wipers

Black door & tailgate handles

Removable tailgate w/key lock & lift assist

ENTERTAINMENT

AM/FM stereo w/clock

INTERIOR

Vinyl 40/20/40 split bench front seat

60/40 flip-up rear split bench seat

Black vinyl floor covering (N/A w/47R Floor Mats)

Driver & front passenger door scuff plates

Black urethane steering wheel

Tilt steering column

Gauges -inc: fuel gauge, voltmeter, oil pressure, engine coolant temp, speedometer, tachometer, odometer

Display center -inc: warning messages & text functions

SecuriLock anti-theft ignition (PATS)

Manual air conditioning





Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Black ring w/black vanes air conditioning registers

Deployable cupholder under middle seat

Rear door cupholders

Instrument panel mounted cigar lighter

Front pwr point

Rear pwr point

Sunvisors w/driver side strap, passenger mirror

Front passenger side A-pillar grab handle

SAFETY

Anti-lock braking system (ABS)

AdvanceTrac w/roll stability control (RSC)

Hill start assist

Dual stage driver & passenger front airbags

Dual stage driver & front passenger seat-mounted side airbags

Safety Canopy front/rear outboard side curtain airbags

SOS post crash alert system

Outboard front lap & shoulder safety belts -inc: height adjusters, pretensioners, energy management retractors

Center front 2-point safety belt

3-point safety belts at all rear seat positions

Auto lock safety belt feature for child seats

Tire pressure monitoring system

Dual note horn

All specifications are subject to change without notice.



Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Technical Specifications

Veight Inf	formation	
vergilt iiii	Trim Curb Weight	5468.00 lbs
	Standard Weight - Front	0 lbs
	Standard Weight - Rear	0 lbs
	Base Trim Weight - Front	3159.00 lbs
	Base Trim Weight - Rear	2309.00 lbs
	Gross Axle Wt Rating - Front	N/A lbs
	Gross Axle Wt Rating - Rear	N/A lbs
	Curb Weight - Front	3159 lbs
	Curb Weight - Rear	2309 lbs
	Option Weight - Front	-6.00 lbs
	Option Weight - Rear	56.00 lbs
	Reserve Axle Capacity - Front	N/A lbs
	Reserve Axle Capacity - Rear	N/A lbs
	As Spec'd Curb Weight	5518.00 lbs
	As Spec'd Payload	2682.00 lbs
	Maximum Payload Capacity	2732.00 lbs
	Gross Combined Wt Rating	N/A lbs
	Gross Axle Weight Rating	N/A lbs
	Curb Weight	5468.00 lbs
	Reserve Axle Capacity	N/A lbs
	Total Option Weight	50.00 lbs
	Payload Weight Front	0 lbs
	Payload Weight Rear	0 lbs
	Gross Vehicle Weight Rating	8200.00 lbs
railering		
	Dead Weight Hitch - Max Trailer Wt.	5000 lbs
	Dead Weight Hitch - Max Tongue Wt.	500 lbs
	Wt Distributing Hitch - Max Trailer Wt.	9600 lbs
	Wt Distributing Hitch - Max Tongue Wt.	1440 lbs
	Maximum Trailering Capacity	N/A lbs
	Dead Weight Hitch - Max Trailer Weight	0.00 lbs
	Dead Weight Hitch - Max Tongue Weight	0.00 lbs
	Weight Distributing Hitch - Max Trailer Weight	0.00 lbs
	Weight Distributing Hitch - Max Tongue Weight	0.00 lbs
	Fifth Wheel Hitch - Max Trailer Weight	0.00 lbs



Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Frame	Framo Typo	Fully boxed	
	Frame Type	Fully-boxed	
	Sect Modulus Rails Only	N/A in³	
	Frame RBM	N/A N/A	
	Frame Strength	N/A lbs	
	Frame Thickness	N/A in	
Suspensi			
	Suspension Type - Front	Double-wishbone	
	Suspension Type - Rear	Live axle	
	Spring Capacity - Front	N/A lbs	
	Spring Capacity - Rear	N/A lbs	
	Axle Type - Front		
	Axle Type - Rear		
	Axle Capacity - Front	3750 lbs	
	Axle Capacity - Rear	N/A lbs	
	Axle Ratio (:1) - Front		
	Axle Ratio (:1) - Rear	3.73	
	Shock Absorber Diameter - Front	36.1 mm	
	Shock Absorber Diameter - Rear	32.0 mm	
	Stabilizer Bar Diameter - Front	1.3 in	
	Stabilizer Bar Diameter - Rear		
Γires			
	Front Tire Order Code	Т7В	
	Rear Tire Order Code	Т7В	
	Spare Tire Order Code	Т7В	
	Front Tire Size	P235/75R17	
	Rear Tire Size	P235/75R17	
	Spare Tire Size	P235/75R17	
	Front Tire Capacity	N/A lbs	
	Rear Tire Capacity	N/A lbs	
	Spare Tire Capacity	N/A lbs	
	Revolutions/Mile @ 45 mph - Front	N/A	
	Revolutions/Mile @ 45 mph - Rear	N/A	
	Revolutions/Mile @ 45 mph - Spare	N/A	
Wheels			
	Front Wheel Size	17 x -TBD- in	
	Rear Wheel Size	17 x -TBD- in	
	Spare Wheel Size	17 x -18D- iii	
	·		
	Front Wheel Material	Steel	
	Rear Wheel Material	Steel	



Spare Wheel Material

Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

N/A

O1		
∿ tΔΔ	ring	
ひにせせ	ши	

	Steering Type	Pwr Rack & Pinion
	Steering Ratio (:1), On Center	17.0
	Steering Ratio (:1), At Lock	N/A
	Turning Diameter - Curb to Curb	52.3 ft
	Turning Diameter - Wall to Wall	N/A ft
Brakes		
	Brake Type	Pwr
	Brake ABS System	4-Wheel
	Brake ABS System (Second Line)	
	Disc - Front (Yes or)	Yes
	Disc - Rear (Yes or)	Yes
	Front Brake Rotor Diam x Thickness	13.7 x 9.1 in
	Rear Brake Rotor Diam x Thickness	13.7 x 9.0 in
	Drum - Rear (Yes or)	
	Rear Drum Diam x Width	
Fuel Tank		
	Fuel Tank Capacity, Approx	26 gal
	Aux Fuel Tank Capacity, Approx	
	Fuel Tank Location	Midship
	Aux Fuel Tank Location	
/EHICLE		
	Tons/yr of CO2 Emissions @ 15K mi/year	11.0 (2011)



Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Transmission

iransmissi	lon	
	Drivetrain	Rear Wheel Drive
	Trans Order Code	446
	Trans Type	6
	Trans Description Cont.	Automatic
	Trans Description Cont. Again	
	First Gear Ratio (:1)	4.17
	Second Gear Ratio (:1)	2.34
	Third Gear Ratio (:1)	1.52
	Fourth Gear Ratio (:1)	1.14
	Fifth Gear Ratio (:1)	0.86
	Sixth Gear Ratio (:1)	0.69
	Reverse Ratio (:1)	3.40
	Clutch Size	
	Trans Power Take Off	
	Final Drive Axle Ratio (:1)	N/A
	Transfer Case Model	
	Transfer Case Gear Ratio (:1), High	
	Transfer Case Gear Ratio (:1), Low	
	Transfer Case Power Take Off	
Mileage		
	EPA Fuel Economy Est - Hwy	21 (Est) MPG
	Cruising Range - City	390.00 mi
	EPA Fuel Economy Est - City	15 (Est) MPG
	Fuel Economy Est-Combined	N/A MPG
	Cruising Range - Hwy	546.00 mi
Engine		
	Engine Order Code	99F
	Engine Type	Gas/Ethanol V8
	Displacement	5.0L/302
	Fuel System	Electronic Fuel Injection
	SAE Net Horsepower @ RPM	360 @ 5500
	SAE Net Torque @ RPM	380 @ 4250
	Engine Oil Cooler	
Electrical		
	Cold Cranking Amps @ 0° F (Primary)	750
	Cold Cranking Amps @ 0° F (2nd)	
	Cold Cranking Amps @ 0° F (3rd)	N/A
	Maximum Alternator Capacity (amps)	155
Cooling Sy		
	Total Cooling System Capacity	N/A qts
	- · · · ·	·



Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

DIMENSIONS	
Interior Dimensions	
Passenger Capacity	6
Front Head Room	41.0 in
Front Leg Room	41.4 in
Front Shoulder Room	65.9 in
Front Hip Room	60.5 in
Second Head Room	39.7 in
Second Leg Room	33.4 in
Second Shoulder Room	65.7 in
Second Hip Room	65.4 in
Exterior Dimensions	
Wheelbase	163.2 in
Length, Overall w/o rear bumper	250.3 in
Width, Max w/o mirrors	78.9 in
Height, Overall	75.9 in
Overhang, Front	38.3 in
Overhang, Rear w/o bumper	N/A in
Front Bumper to Back of Cab	153.0 in
Cab to Axle	N/A in
Cab to End of Frame	N/A in
Ground to Top of Load Floor	34.6 in
Ground to Top of Frame	N/A in
Frame Width, Rear	N/A in
Ground Clearance, Front	N/A in
Ground Clearance, Rear	N/A in
Body Length	0.00 ft
Cab to Body	N/A in
Cargo Area Dimensions	
Cargo Box Length @ Floor	97.4 in
Cargo Box Width @ Top, Rear	60.3 in
Cargo Box Width @ Floor	60.3 in
Cargo Box Width @ Wheelhousings	50.0 in
Cargo Box (Area) Height	22.4 in
Tailgate Width	N/A in
Cargo Volume	81.3 ft ³
Ext'd Cab Cargo Volume	N/A ft³

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.



Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Warranty Information

Basic:	
3 Years/36,000 M	liles
Drivetrain:	
5 Years/60,000 M	liles
Corrosion:	
5 Years/Unlimited	I Miles
Emissions:	
5 Years/50,000 M	liles
Roadside Assistance:	
5 Years/60,000 M	liles



Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.